

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/762,938	04/16/2001	Yasuo Kamatani	HAG 116 NP	2742	
23995	7590 12/08/2003		EXAM	EXAMINER	
RABIN & Berdo, PC 1101 14TH STREET, NW SUITE 500 WASHINGTON, DC 20005			JUBA JE	R, JOHN	
			ART UNIT	PAPER NUMBER	
			2872		

DATE MAILED: 12/08/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
•						
Office Action Summary	09/762,938	KAMATANI, YASUO				
omee Action Cammary	Examiner	Art Unit				
The MAILING DATE of this communication ap	John Juba pears on the cover sheet with					
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.7 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b). Status	136(a). In no event, however, may a rep ly within the statutory minimum of thirty will apply and will expire SIX (6) MONTI e, cause the application to become ABA	oly be timely filed (30) days will be considered timely. HS from the mailing date of this communication. NDONED (35 U.S.C.§ 133).				
1) Responsive to communication(s) filed on						
2a) This action is FINAL . 2b) ⊠ This	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-16 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. §§ 119 and 120						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list 13) Acknowledgment is made of a claim for domest since a specific reference was included in the first 37 CFR 1.78. a) The translation of the foreign language processes and the second processes are ference was included in the first sentence of the second processes.	nts have been received. Its have been received in Apportly documents have been reau (PCT Rule 17.2(a)). It of the certified copies not receive tic priority under 35 U.S.C. of the specifical rovisional application has be tic priority under 35 U.S.C.	oplication No received in this National Stage received. § 119(e) (to a provisional application) rition or in an Application Data Sheet. en received. §§ 120 and/or 121 since a specific				
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 	5) Notice of Inf	ummary (PTO-413) Paper No(s) formal Patent Application (PTO-152)				

Art Unit: 2872

DETAILED ACTION

Information Disclosure Statement

The references cited in the Search Report dated August 10, 1999 by the International Search Authority have been considered, but will not be listed on any patent resulting from this application because they were not provided on a separate list in compliance with 37 CFR 1.98(a)(1). In order to have the references printed on such resulting patent, a separate listing, preferably on a PTO-1449 form, must be filed within the set period for reply to this Office action.

Drawings

Applicant has characterized Figure 6 as a "conventional" apparatus. If the figure represents admitted prior art, a "Prior Art" label would be appropriate.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 2, 6, and 9 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to

Art Unit: 2872

which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claims 2, 6, and 9 recite "a beam-splitter for diffracting" light [emphasis added], whereas what appears to be disclosed is that the beam splitter (09) reflects or partially reflects light from the source (06) and transmits or partially transmits light diffracted by the hologram layer (03). While it is possible for this function to be effected by Braggangle diffraction, there appears to be no disclosure of the beam splitter (09) as comprising a Bragg mirror. Instead, what appears to be disclosed is specular reflection by a half-mirror. But this is supposition on the part of the examiner and the specification lacks an adequate written description of what is to be made. The examiner believes that having first to deduce what is to be made involves undue experimentation and even invention on the part of the artisan. Assuming that one of ordinary skill is to understand that beam splitter (09) is a Bragg reflector (rather than a half-mirror), then there appears to be no description of a way to make the Bragg reflector "split" the incident beam. What appears to be illustrated is a single, zero-order output. While there are other diffractive structures that divide or "split" and incident beam into multiple orders, the disclosed structure does not appear to operate in this manner. Thus, one of ordinary skill is left to deduce what function is truly contemplated and then to experiment to develop a structure that functions in the intended manner.

Art Unit: 2872

Claims 2, 6, and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 2, 6, and 9 are confusing, ambiguous, or incorrect in reciting a "beamsplitter for diffracting" light. In light of the specification, it is not clear whether the beamsplitter splits light, diffracts light, reflects light, or performs some combination of these functions. As a term of art, a "beam splitter" is generally regarded as directing an input beam into at least two directions, neutrally, chromatically, or based upon polarization. A diffraction grating may operate as a "beam divider" if it directs incident energy into a plurality of different orders. Thus, the recitation of a "beam-splitter" for "diffracting" is believed to be repugnant to the ordinary meaning, and ambiguous as to the function. For the purposes of applying art, the examiner has read the claim as positively reciting the structure as comprising a "beam-splitter", and as meaning that the beam splitter "conveys" incident light by some mechanism.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 4, 5, 7, and 12 - 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Maillot, et al. Noting that the information recording medium may be

Art Unit: 2872

formed directly on a reflective substrate (Col. 4, lines 57 - 60), Maillot, et al disclose an information recording layer (16) made from holographic material having a reflective layer (18) on one surface thereof disposed in an apparatus comprising a source (not illustrated) of a coherent laser beam (10) and an optical system (12) arranged to focus the signal light and a reflected reference light so as to record an interference pattern. Insofar as "the recording period for a dot may be 100 nanoseconds" (Col. 5, lines 50 - 55), and insofar as the information is defined by the presence or absence of a grating in a given location (Col. 1, lines 50 - 55), the apparatus of Maillot, et al *inherently* comprises a modulation means for driving a pulse emission of the light source so as to produce a signal in response to an original information signal to be recorded, as recited in claim 1.

With regard to claims 4, 5, 7, and 13 - 16 Maillot, et al anticipate the use of a diode laser with injection current modulation to provide an appropriate reference beam (Col. 8, lines 14 - 18), and anticipate that the readout laser power "should be" adjusted so as to have strength enough to provide a detectable output but little effect on the recorded interference pattern (Col. 6, lines 20 - 25). The reproducing apparatus further comprises a photodetector (34). Although Maillot, et al teach that the *preferred* embodiment is one in which the reflecting layer is removed during readout, they expressly teach that this condition is "not absolutely indispensable" (Col. 5, line 59) so as to anticipate the presence of the reflecting layer during playback.

Art Unit: 2872

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2, 3, 6, and 8 – 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maillot, et al, in view of Hoshi, et al (U.S. Patent number 5,786,117). As set forth for claims 1 and 4 above, Maillot, et al disclose the invention substantially as claimed. However, Maillot, et al do not disclose the use of a lens actuator, as recited in claims 2 and 6, a *diode* laser for producing the signal light as recited in claim 3 or a (single) apparatus for recording and reproduction, as recited in claims 8 – 11.

In the same field of endeavor, Hoshi, et al disclose an apparatus for recording and playback of digital data from an optical storage medium in which light is focused to a volume of the medium and reflected into the focal volume. Hoshi, et al teach that by judicious arrangement of optical components, recording and reproduction of digital data can be undertaken in a single apparatus. One of ordinary skill would have recognized that the disclosed arrangement provides the facility to access stored information rapidly, without the need to handle the recording medium. Thus, data can be read and verified without the risk of damage to recording medium.

It would have been obvious to one of ordinary skill to arrange the light source and modulation means producing a *signal* light of Maillot, et al in combination with the

Art Unit: 2872

detector for reproducing the recorded information in a single apparatus, in the interest of recording and reproducing data without the need to handle the recording medium, as fairly suggested by Hoshi, et al.

With regard to claims 2, 6, and 9, Hoshi, et al teach that such an arrangement will necessitate the use of a collimating lens (3), a beam splitter (7), and a focusing lens (8), and further teach the use of "autofocusing/autotracking control" (Col. 10, lines 13 – 20) to ensure reliable, repeatable results. Maillot, et al acknowledge that some form of tracking servo system will be required (Col. 8, lines 8 – 13). Thus, it appears that the use of a lens actuator would have been obvious in the interest of effecting reliable operation through the use of autofocusing and autotracking, as suggested by Hoshi, et al. With particular regard to claim 9, Maillot, et al employ and lens (32) for the detector as do Hoshi, et al (9). Again (with regard to claim 10), Maillot, et al teach the adjustment or the readout laser power "should be" adjusted so as to have strength enough to provide a detectable output but little effect on the recorded interference pattern (Col. 6, lines 20 – 25).

With regard to claims 3 and 11, Maillot, et al disclose a diode laser for reproducing the recorded information; Hoshi, et al teach that a diode laser ("semiconductor laser" 2) is also a convenient and compact source for forming the signal light. Thus, it appears that one of ordinary skill would have found the use of a diode laser as the source of signal light to have been obvious, insofar as the recorded wavelengths and readout wavelengths are related, and since Hoshi, et al suggest a diode laser as a convenient source.

Art Unit: 2872

Conclusion

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Bjorklund, et al (U.S. Patent number 4,458,345) disclose modulator means in an

apparatus for bit-wise recording interference patterns in focal volumes.

H. J. Eichler, et al (IEEE J. Sel. Topics in Q.E.) disclose modulator means in an

apparatus for bit-wise recording interference patterns in focal volumes.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Examiner Juba whose telephone number is (703) 308-

4812. The examiner can normally be reached on Mon.-Fri. 9 - 5.

On or about January 20, 2004, the examiner's new phone number is

expected to be (571) 272-2314 at the Alexandria campus.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Mr. Drew Dunn can be reached on Mon.- Thu., 9 - 5.

The centralized fax phone number for the organization where this application or

proceeding is assigned is (703) 872-9306 for all communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is (703) 308-

0956.

PRIMARY EXAMINER

Art Unit 2872